

MNU-CFOS/PN/2025/03
2025 ခုနှစ် ၁၀

تجدید و ترقی سرع سرع

- [illegible]

Amruth Kyan S



#	Item	Qty	Unit	Minimum requirement / specifications	Sample image
1	Deioniser Cartridge ELGA C114	8	Pcs	Replacement cartridge for ELGA B114 Deioniser	
2	pH Buffer Standard Solution	2	btl	pH Buffer Standard Solution for HACH pH electrode calibration. Colour-coded pH buffers. pH is ± 0.02 pH units. 500 mL bottles of pH 4.01, 7.00 & 10.01 Product no: 2947600 Pack of 3	
3	Lint free tissue box	20	box	These anti-static wipes are suitable for use in (electronics) laboratories or even in the cleanroom (ISO class 4). They can be used both dry and wet (with e.g. IPA). The wipes are in a handy dispenser. Dim: 21 x 11cm	
4	Button cell	75	pcs	Button cell, AG10	
5	Gas lighter	6	pcs	SS Stainless Steel Kitchen Gas Lighter with Teflon Coating, Piezo Electric, 250x25x25 mm, Black Handle, Child-resistant, Refillable	
6	pH 4.01 Buffer Sachets	4	box	HI-70004P pH 4.01 Buffer Sachets, 25 x 20 mL sachets	

7	pH 7.01 Buffer Sachets	4	box	HI-70007P pH 7.01 Buffer Sachets, 25 x 20 mL sachets	
8	Field Measuring tape, 30m	10	pcs	Open Reel Fiberglass Tape Measure, 100 Foot Tape Measure by 1/2-Inch, Inch/Metric Scale for Engineer, Outdoor, Athletic Field, Impact Resistant ABS Shell (100FT/30M) Rugged ABS reel carry handle Shaft Rocker Design Double-Sided Scale Vinyl-coated fiberglass tape Sturdy Bright Yellow /orange Shell	
9	Digital test waterproof thermometer	10	pcs	Digital test waterproof thermometer probe (to IP65) with max/min memory and hold function. Temp. Range: -40 to +200°C Divisions: 0.1°C Sample Rate: 1 reading per second Accuracy: 0 - 100C +/-1°C or higher IP Rating: IP 65 Standard Battery Life: Approx. 1500 hrs Battery: 1 x 393A cell battery Overall length: 205mm with case in position (approx.) Stainless steel piercing probe: 125mm (approx.)	
10	Handheld Non-contact Digital Infrared Thermometer	5	pcs	Accuracy: $\pm 1.5^{\circ}\text{C}$ Battery Type: 9V (6F22) Distance to Spot Size: 12:01 Infrared: Yes Laser Type: Class 2 LCD Screen: Yes Range: -32°C to $+400^{\circ}\text{C}$ (approx.)/ or wide range Resolution: 0.1 Response Time: 500ms	
11	Clinometer	5	nos	A traditional lightweight angle-measuring instrument to calculate heights Wheel size: 13cm diameter	

